

Report Number : PX/2018/4014102
 Received Date : Apr. 25, 2018
 Report Date : May. 08, 2018
 The Number of Page : 1 OF 1

Following test sample is provided and confirmed by client :

Client : Xetin Co., Ltd.
Product Name : Green Bomb (Xetin Ozone Odor Bomb and Sterilizer)
Model/Type : XTB-360
Sample No. : PX4014101
Test Item and Method: Performance Test

Experiment test:

1. The product was set up in a 1.25m×0.65m×1.25m of test chamber as the client requested.
2. Analyzing the Total Bacteria Counts in air before and after processing 45 minutes later.

Control test:

1. The test procedure was as same as experiment without turning on the product.

In order to understand the performance of product in suppression effect of Total Bacteria Counts.

Test Result :

Test Item	Unit	Control test	Experiment test	Elimination ratio(%)
Total Bacteria Counts	CFU/m ³	4688	<6	>99.9

- Remark :**
1. This report is for reference, not for advertisement or publication.
 2. Sample and title of the report are provided by the client. Environment Lab is only responsible for testing and analyzing.
 3. Test results are valid only for test samples.
 4. This test document cannot be reproduced in any way, except in full content, without the prior approval in writing of the laboratory.
 5. If there are any discrepancies between the English and Chinese report, the Chinese version shall prevail.
 6. The client entrusts the product or trademark of the examination, belonging to the client all, or have already got the ownership person's authorization .



Jeun
 Chieh Sun, Supervisor

SIGNED FOR AND ON BEHALF OF
 SGS TAIWAN LTD.

報告號碼: PX/2018/4014101
收樣日期: 107年04月25日
報告日期: 107年05月08日
頁數: 1 OF 1

以下測試之樣品乃供應廠商所提供及確認:

委託單位: 麗森開發有限公司

產品名稱: 炸醬精靈

產品型號: XTB-360

樣本編號: PX4014101

測試目的: 效能測試

測試方法: 實驗組: 將受測產品架設於 1.25m×0.65m×1.25m 之密閉測試空間中, 測量開機運轉 45 分鐘後之空氣中細菌濃度。

對照組: 與實驗組相同之執行方式, 惟獨不開啟受測產品, 比較實驗組與對照組, 以了解受測產品對空氣中細菌之抑菌效果。

測試結果:

檢驗項目	單位	對照組	實驗組	去除率(%)
空氣中細菌濃度	CFU/m ³	4688	<6	>99.9

- 注意事項:
- 一. 本報告所記載事項僅作為參考資料, 不得作為廣告、出版物等商業宣傳推銷之用。
 - 二. 本報告所用樣品與名稱係由委方提供, 本實驗室僅負責試驗分析。
 - 三. 試驗報告數據更正者無效。
 - 四. 測試結果僅對測試品有效。
 - 五. 除非獲得實驗室書面同意, 證書或報告不得摘錄複製, 但全部複製除外。
 - 六. 委託人委託檢測之產品或商標, 屬委託人所有, 或已獲所有權人之授權。



Seen
Chief Saa, Supervisor

SIGNED FOR AND ON BEHALF OF
SGS TAIWAN LTD.

此報告是本公司依照政府所印之通用服務條款所簽署, 此條款可在本公司網站<http://www.sgs.com/en/Terms-and-Conditions.aspx>閱覽, 凡電子文件之格式均<http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions.aspx>之電子文件所附條件處理, 請注意條款有關於責任、賠償之限制及管轄權的約定, 任何持有此文件者, 請注意本公司製作之結果報告僅能反映執行時所紀錄且於接受測試範圍內之事實, 本公司僅對客戶負責, 此文件不得隨意事人在交易上權利之行使或義務之免除, 未經本公司事先書面同意, 此報告不可部分複製, 任何未經授權的變更、偽造、或曲解本報告所顯示之內容, 皆為不合法, 違約者可遭受法律上最嚴厲之追訴, 除非另有說明, 此報告結果僅對測試之樣品負責。

TWC4753874